

LD862-2

EAN13: 8017709198480

Product Family: Sink
 Aesthetics: Mira
 Type: Welded sink
 Building in type: Ultra-low profile
 No. of bowls: 2
 Colour: Stainless steel



TYPE

- Product Family: Sink
- Sink material: Stainless steel
- No. of bowls: 2
- Type: Welded sink
- Sink dimensions: 86 cm

AESTHETICS



- Finishing: Spazzolato
- Aesthetics: Mira
- Stainless steel finish: Brushed
- Building in type: Ultra-low profile
- Colour: Stainless steel
- Decoration / Special colour: --NA--
- Serie: Mira
- Colour: Stainless steel
- Type of steel: AISI304
- Tap hole / precut tap hole: 1 Tap hole

TECHNICAL FEATURES



- Frame depth (mm): 14
- Cutout dimension (mm): 840 x 480 mm
- Tap hole: 1
- Dividing wall width: 75 mm
- Gasket type: Sealing paste
- Frame thickness: 0.7 mm
- Height from kitchen top: 4 mm
- Cutout radius: 5 mm
- Base unit size: 90 cm
- Tap hole diameter: 35 mm
- No. of clips: 10
- Type of clips: Standard

ELECTRICAL CONNECTION

- Plug: --NA--

LOGISTIC INFORMATION

- Dimensions of the product (mm): 215x860x500 mm

RH BOWL



- Bowl dimensions, WxDxH (mm): 340 x 400 x 200 mm
- Overflow: Yes, flush fitted
- Strainer dimension: 3.5"
- Bowl type RH: Minimum radius
- Bowl thickness (mm): 1 mm
- Bowl depth (mm): 200 mm
- Radius corner right bowl (mm): 15 mm
- Strainer position: Wall position

LH BOWL



- Bowl dimensions LH, WxDxA (mm): 340 x 400 x 200 mm
- Strainer position LH bowl: Wall position
- Bowl type LH: Minimum radius
- Bowl thickness LH (mm): 1 mm
- LH Bowl depth (mm): 200 mm
- Radius corner left bowl: 15 mm
- Strainer dimension LH bowl: 3.5"

ACCESSORIES INCLUDED

- Accessories for installation: Strainer, Fixing clips, Gasket, Siphon with dishwasher outlet connection

OPTIONAL

- **DB34**

- Waste disposal 0,5 HP Motor: 1/2 horsepower Fits all sinks with 3 1/2" waste outlet: **KITFD050**

- Waste disposal 1 HP Motor: 1 horsepower Fits all sinks with 3 1/2" waste outlet : **KITFD100**

- **KITFD100UK**

- **TVN2**

- **KITW1**

- Waste disposal 0,75 HP Motor: 3/4 horsepower Fits all sinks with 3 1/2" waste outlet: **KITFD075**

- **KITFD050UK**

- **KITFD075UK**

- **TVB2**

- **TVS2**

For availability in specific countries please contact your [local agent](#) .



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Ultra-low profile: Installation of product with flat edge - height of 1 mm.

