

SI7633B

Built-in: Ultra-low profile
Dimensions: 60 cm
Power supply: Electric
Type: Induction
Aesthetics: Universal
Colour: Black
Material: Glass
Glass Type: Ceramic
Glass edge: Bevelled Front Edge
Type of control setting: Touch control
Slider
Control knobs position: Front
Serigraphy colour: Grey



Programs / Functions

Total no. of cook zones: 3
No. of induction cook zones: 3
No. of cooking zones with Booster: 3
Main on/off switch
Power levels: 14

Auto-Vent

Options

Pause option
End cooking timer: 3
Minute minder: 3
End of cooking acoustic alarm
Residual time indicator

Control Lock / Child Safety
Rapid level selection

Technical Features

Front left - Induction - single - 2300 W - Booster 3700 W - Ø 21 cm
Rear left - Induction - single - 1400 W - Booster 2500 W - Ø 14.5 cm
Front right - Induction - giant - 1800/2800 W - Booster 3500/5200 W - Ø 18/28 cm
Eco-Off
Eco-Heat

Electrical Connection

Electrical connection rating (W): 7350 W
Voltage (V): 220-240 V
Type of electric cable: Single phase
Frequency (Hz): 50/60 Hz
Power supply cable length: 150 cm
Terminal Box: 6 poles

Accessories not included



SCRP

Induction and ceramic hobs and teppanyaki scraper



TPK

Stainless steel grill plate to cook Teppanyaki dishes



